Dermatology
Enrollment Form – **Page 1 of 2**

Date: ______________________
Patient Name: ______________________
Date of Birth: ______________________

TwelveStone Health Partners
Fax Referral To:
(800) 223-4063
Direct Phone: (615) 278-3350
Toll Free: (844) 893-0012

PREVIOUS ADMINISTRATION

If YES, please provide the following information:

Last Infusion Date: ______________________
Next Infusion Date: ______________________

If NO, please indicate desired location for first dose:

☐ Physician's Office
☐ TwelveStone Infusion Suite
☐ TwelveStone Home Infusion
☐ Other:
Desired Start Date: ______________________

DIAGNOSIS

Description	***ICD-10Code***

OTHER REQUIRED DOCUMENTATION *(Please attach documents as needed}*

☐ This signed order form ☐ History and Physical ☐ TB and Hep B Documentation

☐ Patient Demographics and Insurance Information ☐ Clinical progress notes, lab work (including most recent renal function tests and any other tests supporting primary diagnosis)

CLINICAL INFORMATION *(Please attach all clinical information, lab results and other medical history documents)*

Patient Weight:__________ Kg/Lbs Height:__________ Inches/CM BSA:__________ Allergies:__________

Line Access: ☐ PIV ☐ PICC (SL DL TL) ☐ PORT (Huber size_____Gauge_____Length) ☐ Sub-Q

CURRENTLY RECEIVING AND/OR PRIOR FAILED THERAPIES:

☐ Biologics: ☐ Cimzia ☐ Cosentyx ☐ Enbrel ☐ Humira ☐ Orencia ☐ Remicade ☐ Rituxan ☐ Simponi ☐ Stelara
☐ Methotrexate ☐ Soriatane ☐ CYA ☐ PUVA/UVB ☐ Topicals ☐ Other ______________________

Length of Treatment ______________________
Reason for Discontinuing or Adding Supplemental Tx: ______________________
Contradicted Medications: ______________________
Reason: ______________________

MEDICATION	DOSE	DIRECTIONS	REFILLS	LAB & ANCILLARY ORDERS
☐ Cosentyx	☐ 150mg/ml Pen	☐ Initiation - Inject 300mg SQ at 0,1,2,3,4 and then every 4 weeks thereafter		
	☐ 150mg/ml PFS	☐ Maintenance - Inject 300mg SQ every 4 weeks		
☐ Humira	☐ 40mg Pen	☐ Initiation - Inject 80mg SQ followed by 40mg every other week starting 1 week after initial dose		
	☐ 80mg Pen	☐ Maintenance - Inject 40mg SQ every 4 weeks		
	☐ Pen Psoriasis Startpack	☐ Initiation (>60kg) - Inject 160mg SQ Day 1, inject 80mg Day 15, 40mg Day 29, and 40mg every week thereafter		
	☐ CF Pen CD/UC/HS Startpack	☐ Initiation (30-60kg) - Inject 80mg SQ Day 1, inject 40mg Day 8, and 40mg every week thereafter		
☐ Tremfya	100mg/ml PFS	☐ Initiation - 100mg SQ at 0, 4 weeks, and then every 8 weeks thereafter.		
		☐ Maintenance - Inject 100mg SQ every 8 weeks		
☐ Stelara	☐ 45mg PFS	☐ Initiation (< 100kg) – Inject 45mg SQ week 0, and 4, then 45mg every 12 weeks thereafter		
		☐ Maintenance (<100kg) - Inject 45mg SQ every 12 weeks		
	☐ 90 mg PFS	☐ Initiation (> 100kg) – Inject 90mg SQ week 0, and 4, then 90mg every 12 weeks thereafter		
		☐ Maintenance (> 100kg) - Inject 90mg every 12 weeks		
☐ Dupixent	300mg/2ml PFS	☐ Initiation - Inject 600mg SQ day 1, then 300mg on day 15, then 300mg every other week		
		☐ Maintenance - Inject 300mg SQ every other week		
☐ Odomzo	200mg Capsule	Take 1 (one) capsule by mouth daily on an empty stomach		

Dermatology
Enrollment Form - Page 2 of 2

Date: ______________________

Patient Name: ______________________

Date of Birth: ______________________

TwelveStone Health Partners
Fax Referral To:
(800) 223-4063

Direct Phone: (615) 278-3350

Toll Free: (844) 893-0012

MEDICATION	DOSE	DIRECTIONS	REFILLS	LAB & ANCILLARY ORDERS
☐ Otezla	☐ Starter Pack	☐ Initiation - Titrate dose up to 30mg PO BID starting with 10mg qAM		
	☐ 30mg Tablets	☐ Maintenance - Take 1 (one) tablet my mouth twice daily		
☐ Cimzia	200mg/ml PFS	☐ Initiation - Inject 400mg SQ (2 injections) at weeks 0,2,and 4		
		☐ Maintenance - Inject 200mg SQ every other week		
		☐ Alternate Maintenance - Inject 400mg SQ (2 injections) every other week		
☐ Siliq	210mg PFS	☐ Initiation - 210mg SQ at 0,1,2 weeks, and then every 2 weeks thereafter		
		☐ Maintenance - Inject 210mg SQ every 2 weeks		
☐ Remicade		☐ Initiation - Inject ____ mg IV infusion at 0,2,6 weeks and then every 8 weeks thereafter (5mg/kg)		
		☐ Maintenance - Infuse ____ mg IV every 8 weeks (5mg/kg)		
☐ Rasuvo		Inject _____ mg SQ weekly (7.5-30mg usual dose)		
☐ Enbrel	☐ Sureclick 50mg/ml	☐ Initiation - Inject 50mg SQ twice weekly x 3 months; then 50mg weekly thereafter (adult dosing)		
	☐ 25mg/ml PFS	☐ Maintenance - Inject 50mg SQ weekly		
	☐ 50mg/ml PFS	☐ Maintenance - Inject 0.8mg/kg (_____mg) SQ once weekly (Pediatric dosing)		
☐ Simponi Aria	50mg/4ml	☐ Initiation – Infuse 2mg/kg (_____mg) IV over 30 minutes at week 0, week 4, and week 8		☐ TB Skin Test ☐ CBC w/Diff q_______
		☐ Maintenance – Infuse 2mg/kg (_________mg) IV over 30 minutes every 8 weeks		
☐ Simponi	☐ 50mg/0.5ml Smartject	Inject 50mg SQ once monthly		☐ TB Skin Test ☐ CBC w/Diff q_______
	☐ 50mg/0.5ml PFS			
☐ Erivedge	150mg Capsules	Take 1 (one) capsule by mouth daily		
☐ Inflectra		☐ Initiation - Inject ____ mg IV infusion at 0,2,6 weeks and then every 8 weeks thereafter (5mg/kg)		
		☐ Maintenance - Infuse ____ mg IV every 8 weeks (5mg/kg)		
☐ Renflexis		☐ Initiation - Inject ____ mg IV infusion at 0,2,6 weeks and then every 8 weeks thereafter (5mg/kg)		
		☐ Maintenance - Infuse ____ mg IV every 8 weeks (5mg/kg)		
☐ Taltz	☐ 80mg/ml AutoInjector	☐ Initiation - Inject 160mg (2x 80mg) SQ at week 0, then 80mg every 2 weeks for 6 injections, then 80mg every 4 weeks thereafter		
		☐ Initiation - Inject 160mg (2x 80mg) SQ at week 0, then 80mg every 4 weeks thereafter		
	☐ 80mg/ml Prefilled Syr	☐ Maintenance - Inject 80mg SQ every 4 weeks		
☐ Skyrizi	75mg Prefilled Syr	☐ Initiation – Inject contents of 2 syringes (150mg) SQ at week, 0, 4, and 12 thereafter		
		☐ Maintenance – inject contents of 2 syringes (150mg) SQ every 12 weeks		
☐ Ilumya	100mg/ml PFS	☐ Initiation - Inject 100mg SQ at week 0, week 4 and then every 12 weeks thereafter		
		☐ Maintenance - Inject 100mg SQ every 12 weeks		

Premedication(s):

☐ Diphenhydramine 25-50 mg po- 25mg #2 per dose
☐ Acetaminophen 325-650 mg po- 325mg #2 per dose
☐ Methylprednisolone______mg IV over_____mins
☐ Other:

IV Access Flush Order:

☐ NaCl 0.9% 5-lOml IV before and after infusion
☐ Heparin 10 units/ml 3-5ml IV after infusion for peripheral access and PRN
☐ Heparin 100 units/ml 3-5ml IV after infusion for central IV access and PRN
☐ All infusion supplies necessary to administer the medication
☐ Anaphylaxis Kit

By signing below, I certify that above therapy is medically necessary. Prescriber's Signature (SIGN BELOW)

By signing this form and utilizing our services, I am also authorizing TwelveStone to serve as my prior authorization agent with medical and pharmacy insurance providers.

______________	______________	______________	______________
Physician's Phone#	Physician's NPI#	Physician's Fax	Physician's Address
______________	______________	______________	______________
Dispense as Written	Printed Name	Substitution Allowed	Date

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intended recipient, please notify us immediately by calling 615-895-0186 or faxing back to the originator.