

Dermatology Enrollment Form

TwelveStone Health Partners



Date: _____
 Patient Name: _____
 Date of Birth: _____

Fax Referral To:
(800) 223-4063

Direct Phone: (615) 278-3350
 Toll Free: (844) 893-0012

PREVIOUS ADMINISTRATION

If YES, please provide the following information:	If NO, please indicate desired location for first dose:
Last injection date: _____	<input type="checkbox"/> Physician's office
Next injection date: _____	<input type="checkbox"/> TwelveStone Infusion Suite
	<input type="checkbox"/> Home
	<input type="checkbox"/> Other: _____
	Desired start date: _____

DIAGNOSIS

Description	ICD-10 Code
--------------------	--------------------

OTHER REQUIRED DOCUMENTATION (Please attach documents as needed)

This signed order form History and Physical TB and Hep B Documentation (if applicable)

Patient Demographics and Insurance Information Clinical progress notes, lab work (including most recent renal function tests and any other tests supporting primary diagnosis)

CLINICAL INFORMATION (Please attach all clinical information, lab results and other medical history documents)

Patient Weight: _____ Kg/Lbs Height: _____ Inches/CM BSA: _____ Allergies: _____

CURRENTLY RECEIVING AND/OR PRIOR FAILED THERAPIES

Biologics: Cimzia Cosentyx Enbrel Humira Orencia Remicade Rituxan Simponi Stelara

Methotrexate Soriatane CYA PUVA/UVB Topicals Other: _____

Length of treatment: _____

Reason for Discontinuing or Adding Supplemental Tx: _____

Contraindicated Medications: _____

Reason: _____

MEDICATION/DOSE	QUANTITY	REFILLS
<input type="checkbox"/> Botox	100unit vial Inject 50 units per axilla as directed	
<input type="checkbox"/> Cimzia	Initial Dose <input type="checkbox"/> Cimzia starter kit (six 200mg PFS) <hr/> Maintenance Dose <input type="checkbox"/> 200mg PFS <input type="checkbox"/> 200mg vial	<input type="checkbox"/> Initiation - Inject 400mg SQ (2 injections) at weeks 0,2,and 4, then maintenance dose <hr/> <input type="checkbox"/> Inject 200mg SQ every 2 weeks <hr/> <input type="checkbox"/> Inject 400mg SQ (two 200mg injections) every 4 weeks <input type="checkbox"/> Inject 400mg SQ (two 200mg injections) every 2 weeks
<input type="checkbox"/> Cosentyx	<input type="checkbox"/> 150mg/ml Pen <input type="checkbox"/> 150mg/ml PFS	<input type="checkbox"/> Inject 300mg SQ at weeks 0, 1, 2, 3, 4 followed by 300mg every 4 weeks thereafter <hr/> <input type="checkbox"/> Maintenance - Inject 300mg SQ every 4 weeks
<input type="checkbox"/> Dupixent	300mg/2ml PFS 300mg/2ml Pen (for patients 12+ years)	<input type="checkbox"/> Initiation - Inject 600mg SQ day 1, then 300mg on day 15, then 300mg every other week <hr/> <input type="checkbox"/> Maintenance - Inject 300mg SQ every other week
<input type="checkbox"/> Enbrel	<input type="checkbox"/> Sureclick 50mg/ml <input type="checkbox"/> 25mg/0.5ml <input type="checkbox"/> 50mg/ml PFS <input type="checkbox"/> 50mg/ml Enbrel mini	<input type="checkbox"/> Initiation - Inject 50mg SQ twice weekly x 3 months; then 50mg weekly thereafter (adult dosing) <hr/> <input type="checkbox"/> Maintenance - Inject 50mg SQ weekly <hr/> <input type="checkbox"/> Maintenance - Inject 0.8mg/kg (____mg) SQ once weekly (Pediatric dosing)
<input type="checkbox"/> Erivedge	150mg Capsules	Take 1 (one) capsule by mouth daily

By signing below, I certify that above therapy is medically necessary. Prescriber's Signature (SIGN BELOW)

By signing this form and utilizing our services, I am also authorizing TwelveStone to serve as my prior authorization agent with medical and pharmacy insurance providers.

Dispense as Written: _____ Printed Name: _____ Substitution Allowed: _____ Date: _____

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intended recipient, please notify us immediately by calling 615-895-0186 or faxing back to the originator.

Dermatology Enrollment Form

TwelveStone Health Partners



Date: _____
 Patient Name: _____
 Date of Birth: _____

Fax Referral To:
(800) 223-4063

Direct Phone: (615) 278-3350
 Toll Free: (844) 893-0012

PREVIOUS ADMINISTRATION

If YES, please provide the following information: Last injection date: _____ Next injection date: _____	If NO, please indicate desired location for first dose: <input type="checkbox"/> Physician's office <input type="checkbox"/> TwelveStone Infusion Suite <input type="checkbox"/> Home <input type="checkbox"/> Other: _____ Desired start date: _____
---	--

DIAGNOSIS

Description	ICD-10 Code
--------------------	--------------------

OTHER REQUIRED DOCUMENTATION (Please attach documents as needed)

This signed order form
 History and Physical
 TB and Hep B Documentation (if applicable)
 Patient Demographics and Insurance Information
 Clinical progress notes, lab work (including most recent renal function tests and any other tests supporting primary diagnosis)

CLINICAL INFORMATION (Please attach all clinical information, lab results and other medical history documents)

Patient Weight: _____ Kg/Lbs
 Height: _____ Inches/CM
 BSA: _____
 Allergies: _____

CURRENTLY RECEIVING AND/OR PRIOR FAILED THERAPIES

Biologics:
 Cimzia
 Cosentyx
 Enbrel
 Humira
 Orencia
 Remicade
 Rituxan
 Simponi
 Stelara
 Methotrexate
 Soriatane
 CYA
 PUVA/UVB
 Topicals
 Other: _____
 Length of treatment: _____
 Reason for Discontinuing or Adding Supplemental Tx: _____
 Contraindicated Medications: _____
 Reason: _____

MEDICATION/DOSE	QUANTITY	REFILLS
<input type="checkbox"/> Humira 40mg/0.8ml <input type="checkbox"/> pen <input type="checkbox"/> PFS 40mg/0.4ml <input type="checkbox"/> pen <input type="checkbox"/> PFS 80mg/0.8ml <input type="checkbox"/> pen <input type="checkbox"/> PFS <input type="checkbox"/> 40mg/0.8ml pen Starter Pack for Psoriasis, Uveitis, or Adolescent HS <input type="checkbox"/> 40mg/0.4ml pen Starter Pack for Psoriasis, Uveitis, or Adolescent HS <input type="checkbox"/> 80mg/0.8ml and 40mg/0.4ml pen Starter Pack for Psoriasis, Uveitis, or Adolescent HS <input type="checkbox"/> 40mg/0.8ml pen Starter Pack for Crohn's, UC, or HS <input type="checkbox"/> 40mg/0.4ml pen Starter Pack for Crohn's, UC, or HS <input type="checkbox"/> 80mg/0.8ml pen Starter Pack for Crohn's, UC, or HS	<input type="checkbox"/> Initiation (Psoriasis) – Inject 80mg SQ on Day 1, 40mg on Day 8, then 40mg every 2 weeks starting on Day 29 ----- <input type="checkbox"/> Maintenance – Inject 40mg SQ every 2 weeks ----- <input type="checkbox"/> Initiation (HS) – Inject 160mg SQ on Day 1, 80mg on Day 15, then begin maintenance dose on Day 29 ----- <input type="checkbox"/> Maintenance – Inject 40mg SQ every week <input type="checkbox"/> Inject 80mg SQ every other week	
<input type="checkbox"/> Ilumya 100mg/ml PFS	Initiation - Inject 100mg SQ at week 0, week 4 and then every 12 weeks thereafter ----- Maintenance - Inject 100mg SQ every 12 weeks	

By signing below, I certify that above therapy is medically necessary. Prescriber's Signature (SIGN BELOW)

By signing this form and utilizing our services, I am also authorizing TwelveStone to serve as my prior authorization agent with medical and pharmacy insurance providers.

Dispense as Written: _____ Printed Name: _____ Substitution Allowed: _____ Date: _____

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intended recipient, please notify us immediately by calling 615-895-0186 or faxing back to the originator.

Dermatology Enrollment Form

TwelveStone Health Partners



Date: _____
 Patient Name: _____
 Date of Birth: _____

Fax Referral To:
(800) 223-4063

Direct Phone: (615) 278-3350
 Toll Free: (844) 893-0012

PREVIOUS ADMINISTRATION

If YES, please provide the following information:	If NO, please indicate desired location for first dose:
Last injection date: _____	<input type="checkbox"/> Physician's office <input type="checkbox"/> TwelveStone Infusion Suite <input type="checkbox"/> Home <input type="checkbox"/> Other: _____ Desired start date: _____
Next injection date: _____	

DIAGNOSIS

Description	ICD-10 Code
--------------------	--------------------

OTHER REQUIRED DOCUMENTATION (Please attach documents as needed)

- This signed order form
 History and Physical
 TB and Hep B Documentation (if applicable)
 Patient Demographics and Insurance Information
 Clinical progress notes, lab work (including most recent renal function tests and any other tests supporting primary diagnosis)

CLINICAL INFORMATION (Please attach all clinical information, lab results and other medical history documents)

Patient Weight: _____ Kg/Lbs Height: _____ Inches/CM BSA: _____ Allergies: _____

CURRENTLY RECEIVING AND/OR PRIOR FAILED THERAPIES

- Biologics:
 Cimzia
 Cosentyx
 Enbrel
 Humira
 Orencia
 Remicade
 Rituxan
 Simponi
 Stelara
 Methotrexate
 Soriatane
 CYA
 PUVA/UVB
 Topicals
 Other: _____
 Length of treatment: _____
 Reason for Discontinuing or Adding Supplemental Tx: _____
 Contraindicated Medications: _____
 Reason: _____

MEDICATION/DOSE		QUANTITY	REFILLS
<input type="checkbox"/> Inflectra	<input type="checkbox"/> 100mg vial	<input type="checkbox"/> Initiation – Infuse _____mg IV at weeks 0, 2, and 6 followed by every 8 weeks thereafter (5mg/kg) ----- <input type="checkbox"/> Infuse _____ mg IV every 8 weeks (5mg/kg)	
<input type="checkbox"/> Odomzo	200mg capsule	Take 1 (one) capsule by mouth daily on an empty stomach	
<input type="checkbox"/> Otezla	<input type="checkbox"/> Starter Pack ----- <input type="checkbox"/> 30mg Tablets	<input type="checkbox"/> Initiation - Titrate dose up to 30mg PO BID starting with 10mg qAM ----- <input type="checkbox"/> Maintenance - Take 1 (one) tablet my mouth twice daily	
<input type="checkbox"/> Otrexup		Inject _____ mg SQ weekly (10-25mg usual dose)	
<input type="checkbox"/> Rasuvo		Inject _____ mg SQ weekly (7.5-30mg usual dose)	
<input type="checkbox"/> Remicade	<input type="checkbox"/> 100mg vial	<input type="checkbox"/> Initiation – Infuse _____mg IV at weeks 0, 2, and 6 followed by every 8 weeks thereafter (5mg/kg) ----- <input type="checkbox"/> Maintenance - Infuse _____ mg IV every 8 weeks (5mg/kg)	
<input type="checkbox"/> Renflexis	<input type="checkbox"/> 100mg vial	<input type="checkbox"/> Initiation – Infuse _____mg IV at weeks 0, 2, and 6 followed by every 8 weeks thereafter (5mg/kg) ----- <input type="checkbox"/> Maintenance - Infuse _____ mg IV every 8 weeks (5mg/kg)	

By signing below, I certify that above therapy is medically necessary. Prescriber's Signature (SIGN BELOW)

By signing this form and utilizing our services, I am also authorizing TwelveStone to serve as my prior authorization agent with medical and pharmacy insurance providers.

Dispense as Written: _____ Printed Name: _____ Substitution Allowed: _____ Date: _____

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intended recipient, please notify us immediately by calling 615-895-0186 or faxing back to the originator.



Date: _____

Patient Name: _____

Date of Birth: _____

Fax Referral To:

(800) 223-4063

Direct Phone: (615) 278-3350

Toll Free: (844) 893-0012

PREVIOUS ADMINISTRATION

If YES, please provide the following information:

Last injection date: _____

Next injection date: _____

If NO, please indicate desired location for first dose:

- Physician's office
- TwelveStone Infusion Suite
- Home
- Other: _____
- Desired start date: _____

DIAGNOSIS

Description	ICD-10 Code
-------------	-------------

OTHER REQUIRED DOCUMENTATION (Please attach documents as needed)

- This signed order form History and Physical TB and Hep B Documentation (if applicable)

- Patient Demographics and Insurance Information Clinical progress notes, lab work (including most recent renal function tests and any other tests supporting primary diagnosis)

CLINICAL INFORMATION (Please attach all clinical information, lab results and other medical history documents)

Patient Weight: _____ Kg/Lbs Height: _____ Inches/CM BSA: _____ Allergies: _____

CURRENTLY RECEIVING AND/OR PRIOR FAILED THERAPIES

- Biologics: Cimzia Cosentyx Enbrel Humira Orencia Remicade Rituxan Simponi Stelara
- Methotrexate Soriatane CYA PUVA/UVB Topicals Other: _____
- Length of treatment: _____
- Reason for Discontinuing or Adding Supplemental Tx: _____
- Contraindicated Medications: _____
- Reason: _____

MEDICATION/DOSE		QUANTITY	REFILLS
<input type="checkbox"/> Siliq	210mg PFS	<input type="checkbox"/> Initiation – Inject 210mg SQ at weeks 0, 1, and 2 followed by 210mg every 2 weeks thereafter <input type="checkbox"/> Maintenance - Inject 210mg SQ every 2 weeks	
<input type="checkbox"/> Skyrizi	75mg/0.83ml PFS	<input type="checkbox"/> Initiation – Inject contents of 2 syringes (150mg) SQ at week 0, week 4 and every 12 weeks thereafter <input type="checkbox"/> Maintenance – inject contents of 2 syringes (150mg) SQ every 12 weeks	
<input type="checkbox"/> Stelara	<input type="checkbox"/> 45mg PFS <input type="checkbox"/> 90 mg PFS	<input type="checkbox"/> Initiation (less than or equal to 100kg) – Inject 45mg SQ at weeks 0 and 4, then 45mg every 12 weeks thereafter <input type="checkbox"/> Maintenance (less than or equal to 100kg) – Inject 45mg SQ every 12 weeks <input type="checkbox"/> Initiation (>100kg) – Inject 90mg SQ at weeks 0 and 4, then 90mg every 12 weeks thereafter <input type="checkbox"/> Maintenance (>100kg) – Inject 90mg SQ every 12 weeks	
<input type="checkbox"/> Taltz	<input type="checkbox"/> 80mg/ml AutoInjector <input type="checkbox"/> 80mg/ml PFS	<input type="checkbox"/> Initiation – Inject 160mg (two 80mg injections) SQ at weeks 0, 2, 4, 6, 8, 10, and 12 followed by 80mg every 4 weeks <input type="checkbox"/> Maintenance - Inject 80mg SQ every 4 weeks	
<input type="checkbox"/> Tremfya	100mg/ml PFS 100mg/ml One-Press autoinjector	<input type="checkbox"/> Initiation – Inject 100mg SQ at week 0 and week 4 followed by 100mg every 8 weeks thereafter <input type="checkbox"/> Maintenance - Inject 100mg SQ every 8 weeks	
<input type="checkbox"/> Xolair	<input type="checkbox"/> 150 mg vial <input type="checkbox"/> 150 mg PFS	<input type="checkbox"/> Inject 150mg SQ every 4 weeks <input type="checkbox"/> Inject 300mg SQ every 4 weeks	

By signing below, I certify that above therapy is medically necessary. Prescriber's Signature (SIGN BELOW)
 By signing this form and utilizing our services, I am also authorizing TwelveStone to serve as my prior authorization agent with medical and pharmacy insurance providers.

Dispense as Written: _____ Printed Name: _____ Substitution Allowed: _____ Date: _____

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intended recipient, please notify us immediately by calling 615-895-0186 or faxing back to the originator.